

Cambridge IGCSE[™]

CHEMISTRY 0620/21

Paper 2 Multiple Choice (Extended)

May/June 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are **forty** questions on this paper. Answer **all** questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



- 1 Which two gases will diffuse at the same rate, at the same temperature?
 - A carbon monoxide and carbon dioxide
 - **B** carbon monoxide and nitrogen
 - C chlorine and fluorine
 - **D** nitrogen and oxygen
- **2** A student measures the time taken for 2.0 g of magnesium to dissolve in 50 cm³ of dilute sulfuric acid.

Which apparatus is essential to complete the experiment?

- 1 stop-clock
- 2 measuring cylinder
- 3 thermometer
- 4 balance
- **A** 1, 2 and 4
- **B** 1 and 2 only
- C 1 and 4 only
- **D** 2, 3 and 4
- **3** The numbers of protons and neutrons and the electronic structures of four particles, W, X, Y and Z, are shown.

	number of protons	number of neutrons	electronic structure
W	8	8	2,8
Х	8	10	2,6
Υ	8	8	2,6
Z	10	8	2,8

Which particles have the same chemical properties?

- A W and Y
- **B** W and Z
- C X and Y
- **D** X and Z
- 4 Which substance should be pure for the intended use?
 - A a drug for curing disease
 - **B** limestone for iron extraction
 - **C** petroleum for fractional distillation
 - **D** water for washing a car

5 Metals and ionic compounds have similarities and differences in their structure and properties.

Which row about metals and ionic compounds is correct?

	similarity	difference
Α	both contain positive ions	only ionic compounds contain anions
В	both contain positive ions	ionic compounds conduct using a 'sea of electrons'
С	both are malleable	only ionic compounds contain anions
D	both are malleable	ionic compounds conduct using a 'sea of electrons'

6 Which diagram represents the outer-shell electron arrangement in a nitrogen molecule?



7 The equation for the reaction between barium chloride and dilute sulfuric acid is shown.

$$BaCl_2 + H_2SO_4 \rightarrow BaSO_4 + 2HCl$$

Which row shows the state symbols for this equation?

	BaCl ₂	H ₂ SO ₄	BaSO ₄	2HC <i>l</i>
Α	(aq)	(aq)	(s)	(aq)
В	(aq)	(I)	(s)	(aq)
С	(1)	(aq)	(s)	(I)
D	(aq)	(I)	(aq)	(I)

8 The relative atomic mass, A_r , of an element is determined by comparing the mass of one atom of the element with the mass of one atom of element Q.

What is Q?


- A carbon
- **B** chlorine
- C hydrogen
- **D** oxygen

9 The equation for the reaction between aqueous lead(II) nitrate and aqueous sodium chloride is shown.

$$Pb(NO_3)_2(aq) + 2NaCl(aq) \rightarrow PbCl_2(s) + 2NaNO_3(aq)$$

If $100\,\text{cm}^3$ of aqueous lead(II) nitrate of concentration $0.1\,\text{mol/dm}^3$ is reacted with an excess of aqueous sodium chloride, which mass of lead(II) chloride is obtained?

- **A** 1.16 g
- **B** 2.42 g
- **C** 2.78 g
- **D** 3.31 g
- **10** The diagram shows the electrolysis of concentrated hydrochloric acid and concentrated aqueous sodium chloride using carbon electrodes.



At which electrodes is hydrogen produced?

- A electrode 1 only
- B electrodes 1 and 3
- C electrode 2 only
- D electrodes 2 and 4
- **11** Aqueous copper(II) sulfate is electrolysed using copper electrodes.

What is the ionic half-equation for the reaction at the cathode?

A
$$Cu \rightarrow Cu^{2+} + 2e^{-}$$

$$\mathbf{B} \quad \mathbf{C}\mathbf{u}^{2^{+}} + 2\mathbf{e}^{-} \rightarrow \mathbf{C}\mathbf{u}$$

$$\mathbf{C} \quad 2\mathbf{H}^{+} + 2\mathbf{e}^{-} \rightarrow \mathbf{H}_{2}$$

D
$$20^{2-} \rightarrow O_2 + 4e^-$$

12 Which row identifies a chemical change and a physical change?

	chemical change	physical change
Α	boiling ethanol	burning ethanol
В	burning ethanol	evaporating ethanol
С	dissolving ethanol in water	burning ethanol
D	evaporating ethanol	dissolving ethanol in water

13 The equation for the reaction between gaseous hydrogen and gaseous iodine to form gaseous hydrogen iodide is shown.

$$H_2(g) + I_2(g) \rightarrow 2HI(g)$$

The reaction is exothermic.

Which statement explains why the reaction is exothermic?

- A Energy is released when H–H and I–I bonds are broken.
- **B** The bond energies of the reactants are larger than the bond energies of the products.
- **C** The products are at a higher energy level than the reactants.
- **D** More energy is released when two HI bonds are formed than is used when the H–H and I–I bonds are broken.
- **14** Acidified aqueous silver nitrate is added to a test-tube containing aqueous chloride ions.

The test-tube is then left in direct sunlight.

Which row describes the observations and explains what happens to the reaction mixture?

	observation on adding aqueous silver nitrate	observation after leaving in sunlight	explanation
Α	yellow precipitate	precipitate dissolves	silver chloride forms
В	yellow precipitate	precipitate turns grey	silver ions are reduced
С	white precipitate	precipitate dissolves	silver chloride forms
D	white precipitate	precipitate turns grey	silver ions are reduced

15 Water is added to anhydrous copper(II) sulfate.

What happens during the reaction?

- **A** The copper(II) sulfate turns blue and the solution formed gets colder.
- **B** The copper(II) sulfate turns blue and the solution formed gets hotter.
- **C** The copper(II) sulfate turns white and the solution formed gets colder.
- **D** The copper(II) sulfate turns white and the solution formed gets hotter.
- **16** Aqueous iron(III) chloride, FeC l_3 , reacts with aqueous potassium iodide, KI.

$$vFeCl_3 + wKI \rightarrow xFeCl_2 + yKCl + I_2$$

Which statements are correct?

- 1 In the balanced equation, *v*, *w*, *x* and *y* have the same value.
- 2 Potassium iodide is an oxidising agent.
- 3 A dark brown solution is produced in the reaction.
- **A** 1 and 2 **B** 1 and 3 **C** 2 only **D** 2 and 3
- 17 Which statement about acids is correct?
 - A A strong acid has a higher pH than a weak acid of the same concentration.
 - **B** A strong acid is a proton acceptor.
 - **C** A weak acid is a proton donor.
 - **D** A weak acid is fully ionised in aqueous solution.

18 The oxides of two elements, X and Y, are separately dissolved in water and the pH of each solution tested.

oxide tested	pH of solution
X	1
Y	13

Which information about X and Y is correct?

	oxide is acidic	oxide is basic	metal	non-metal
Α	X	Υ	X	Υ
В	X	Υ	Υ	Х
С	Y	X	X	Υ
D	Y	X	Υ	Х

19 An acid is neutralised by adding an excess of an insoluble solid base.

A soluble salt is formed.

How is the pure salt obtained from the reaction mixture?

- **A** crystallisation \rightarrow evaporation \rightarrow filtration
- **B** evaporation \rightarrow crystallisation \rightarrow filtration
- **C** filtration \rightarrow crystallisation \rightarrow evaporation
- **D** filtration \rightarrow evaporation \rightarrow crystallisation
- 20 The electronic structure of element Z is 2,8,1.

Which statements about Z are correct?

- 1 It is a metal.
- 2 It has two outer-shell electrons.
- 3 It is in Period 3.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 only

21 Elements in Group IV of the Periodic Table are shown.

carbon

silicon

germanium

tin

lead

What does **not** occur in Group IV as it is descended?

- **A** The proton number of the elements increases.
- **B** The elements become more metallic.
- **C** The elements have more electrons in their outer shell.
- **D** The elements have more electron shells.
- **22** Element M forms both M⁺ and M²⁺ ions.

In which part of the Periodic Table is M placed?

- A Group I
- **B** Group II
- C Group III
- **D** transition elements
- 23 In the extraction of aluminium by electrolysis, cryolite is added to the bauxite ore.

Which row describes the role of cryolite and gives the ionic half-equation at the cathode?


	role of cryolite	ionic half-equation at the cathode
	Tole of cryolite	ionic nan-equation at the cathode
A	catalyst	$Al^{3+} + 3e^- \rightarrow Al$
В	catalyst	$Al^{3+} + 3e^- \rightarrow 3Al$
С	lowers melting point of electrolyte	$Al^{3+} + 3e^- \rightarrow Al$
D	lowers melting point of electrolyte	$Al^{3+} + 3e^- \rightarrow 3Al$

24 Mild steel is galvanised to prevent corrosion of the iron.

Which statements about galvanising are correct?

- 1 Galvanising prevents corrosion because the zinc forms an alloy.
- 2 If the coating is damaged, water and oxygen do not corrode the iron.
- Zinc is a sacrificial metal and corrodes in preference to iron.
- 1 and 2
- В 1 and 3
- 2 only
- 2 and 3

25 Which diagram represents the arrangement of the outer-shell electrons of a noble gas?



- **26** Which statements about the general properties of metals are correct?
 - 1 They are good conductors of heat and electricity.
 - 2 They have low melting points.
 - 3 They react with dilute acids to form a salt and water.
 - 4 They react with oxygen to form basic oxides.
 - 1 and 2
- В 1 and 4
- C 2 and 3
- D 3 and 4

27 Reactions of three metals and their oxides are shown.

metal	add dilute hydrochloric acid to metal	heat metal oxide with carbon	
1	✓	✓	key
2	✓	X	✓ = reacts
3	X	✓	x = does n

What is the order of reactivity of these metals, from most reactive to least reactive?

 $\mathbf{A} \quad 1 \to 2 \to 3$

B $1 \rightarrow 3 \rightarrow 2$ **C** $2 \rightarrow 1 \rightarrow 3$ **D** $2 \rightarrow 3 \rightarrow 1$

not react

28 Three metal compounds, J, K and L, are heated using a Bunsen burner.


The results are shown.

- J colourless gas produced, which relights a glowing splint
- K colourless gas produced, which turns limewater milky
- L no reaction

Which row identifies J, K and L?

	J	K	L
Α	magnesium carbonate	potassium carbonate	potassium nitrate
В	magnesium carbonate	potassium nitrate	potassium carbonate
С	potassium nitrate	magnesium carbonate	potassium carbonate
D	potassium nitrate	potassium carbonate	magnesium carbonate

29 The diagram shows the uses and treatment processes of muddy river water.



Which row identifies uses 1 and 2 and processes 1 and 2?

	use 1	use 2	process 1	process 2
Α	drinking	watering crops	chlorination	filtration
В	drinking	watering crops	filtration	chlorination
С	watering crops	drinking	chlorination	filtration
D	watering crops	drinking	filtration	chlorination

30 The equation for the manufacture of ammonia in the Haber process is shown.

$$3H_2(g) + N_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.


Which row describes the effect of the stated change on the reaction rate and the yield of ammonia?

	change	effect on reaction rate	effect on yield of ammonia
Α	decrease pressure	increases	decreases
В	decrease temperature	decreases	increases
С	increase pressure	increases	decreases
D	increase temperature	increases	increases

31 Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?

- A $Ca(NO_3)_2$ and $(NH_4)_2SO_4$
- **B** $Ca(NO_3)_2$ and $(NH_4)_3PO_4$
- C KNO₃ and (NH₄)₂SO₄
- **D** KNO₃ and $(NH_4)_3PO_4$
- 32 The flow chart shows part of the process for the manufacture of sulfuric acid and its electrolysis.



What are gases 1, 2 and 3?

	gas 1	gas 2	gas 3
Α	sulfur dioxide	hydrogen	sulfur trioxide
В	sulfur dioxide	oxygen	sulfur trioxide
С	sulfur trioxide	hydrogen	sulfur dioxide
D	sulfur trioxide	oxygen	sulfur dioxide

- 33 Which statements about sulfur dioxide are correct?
 - 1 Sulfur dioxide decolourises acidified potassium manganate(VII).
 - 2 Sulfur dioxide forms when acids react with carbonates.
 - 3 Sulfur dioxide is used as a bleach.
 - 4 Sulfur dioxide is used to treat acidic soil.
 - **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- 34 What are the products when limestone (calcium carbonate) is heated strongly?
 - A calcium hydroxide and carbon dioxide
 - **B** calcium hydroxide and carbon monoxide
 - C calcium oxide and carbon dioxide
 - **D** calcium oxide and carbon monoxide
- **35** The structure of ester W is shown.

Which row gives the names of ester W and the carboxylic acid and alcohol from which it is made?

	name of ester W	carboxylic acid	alcohol
Α	ethyl methanoate	ethanoic acid	methanol
В	ethyl methanoate	methanoic acid	ethanol
С	methyl ethanoate	ethanoic acid	methanol
D	methyl ethanoate	methanoic acid	ethanol

36 Ethanol is made industrially by the fermentation of glucose or by the catalytic addition of steam to ethene.

Which statement describes an advantage of fermentation compared to catalytic addition?

- **A** Ethanol is the only product of fermentation.
- **B** Fermentation uses a batch process but catalytic addition is continuous.
- **C** Fermentation uses a higher temperature than catalytic addition.
- **D** Fermentation uses a renewable resource.

- 37 Some properties of colourless liquid L are listed.
 - It boils at 65 °C.
 - When added to water, two layers form which do not mix.
 - It does not react with sodium carbonate.
 - It has no effect on bromine water.

What is L?

- A ethanol
- **B** hexane
- C hexene
- **D** ethanoic acid
- **38** A molecule of compound P contains two carbon atoms and four hydrogen atoms.

Which row represents P?

	name of compound	M _r	reacts with aqueous bromine
Α	ethane	30	X
В	ethene	16	✓
С	ethene	28	✓
D	ethene	28	x

39 The reaction of ethanol with acidified potassium manganate(VII) is shown.

$$CH_3CH_2OH \xrightarrow{KMnO_4} CH_3COOH$$

Which type of reaction is taking place?

- A addition
- **B** condensation
- C hydrolysis
- **D** oxidation

- **40** Which polymer is a synthetic polyamide?
 - **A** nylon
 - **B** poly(ethene)
 - **C** protein
 - **D** Terylene

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	\	2 :	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	5				80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ъ	polonium —	116		livermorium —
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	≡				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΊ	thallium 204			
								1			30	Zu	zinc 65	48	р О	cadmium 112	80	БH	mercury 201	112	S	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	格	rhodium 103	77	Ľ	iridium 192	109	¥	meitnerium -
		- :	I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						loc	SS				24		chromium 52		Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>n</u>	tantalum 181	105	op O	dubnium -
					to	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium -
								_			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	뇬	francium -

71 Lu	lutetium 175	103	۲	lawrencium	ı
70 Yb					ı
69 Tm	thulium 169	101	Md	mendelevium	I
₆₈ Г	erbium 167	100	Fm	ferminm	ı
67 Ho	holmium 165	66	Es	einsteinium	ı
。 Dy	dysprosium 163	86	Ç	californium	ı
65 Tb	terbium 159	6	Ř	berkelium	ı
Gd Gd	gadolinium 157	96	Cm	curium	ı
63 Eu	europium 152	92	Am	americium	ı
Sm	samarium 150	94	Pu	plutonium	ı
Pm	promethium -	93	ď	neptunium	1
° P N	neodymium 144	92	\supset	uranium	238
59 P	praseodymium 141	91	Ра	protactinium	231
Ce Oe	cerium 140	06	Т	thorium	232
57 La	lanthanum 139	88	Ac	actinium	I
lanthanoids			actinoids		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).