

Cambridge IGCSE[™]

CANDIDATE NAME							
CENTRE NUMBER				CANDIDATE NUMBER	Ξ		

0 1 2 3 4 5 6 7 8 9

CO-ORDINATED SCIENCES

0654/04

Paper 4 Theory (Extended)

For examination from 2025

SPECIMEN PAPER

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.
- Take the weight of 1.0 kg to be 9.8 N (acceleration of free fall = 9.8 m / s²).

INFORMATION

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 A student investigates the effect of temperature on the rate of photosynthesis in an aquatic plant.

Fig. 1.1 shows the apparatus used.




Fig. 1.1

The student counts the number of bubbles of gas released in one minute.

They repeat the investigation with water at different temperatures.

Table 1.1 shows the results.

Table 1.1

temperature / °C	number of bubbles released per minute
25	5
30	25
35	38
40	55
45	71
50	40
55	25
60	0

(a)	(i)	Name the gas released by the aquatic plant.
		[41]
		[1]

	(ii)	Describe the results shown in Table 1.1.	
		Include data from Table 1.1 in your answer.	
		[[2]
(I- \	DI		
(b)		tosynthesis is an enzyme-controlled reaction.	
	Exp	lain the results between 50 and 60 °C.	
			[3]
(c)	The	leaves of a plant are described as sources or as sinks depending on the time of the year	ar.
, ,		cribe the difference between sources and sinks.	
	•••••		. - .
(d)	Stat	e the name of the carbohydrate in plants that is used:	
	as a	ın energy store	
	in re	espiration	
	to b	uild cell walls	
		l l	[3]

[Total: 11]

2 Measles is a transmissible disease.

Fig. 2.1 shows the number of measles antibodies in the blood after vaccination and after infection.




Fig. 2.1

Complete the sentences to explain the infinitine response seem in Fig. 2.1.
Vaccinations contain a weakened form of the or their antigens.
The antigens stimulate an immune response by a type of white blood cell called
These white blood cells produce antibodies, increasing the number of antibodies in the blood.
Long-term immunity is provided by the production of cells.
If the body becomes infected after vaccination, antibody production in the body
The antibodies bind to antigens with a shape destroying them or
marking them for destruction by

[6]

(b)	State the name of the type of immunity gained in Fig. 2.1.
	[1]
(c)	State two indirect ways that transmissible diseases can be transmitted.
	[2]
	[Total: 9]

3 (a) A country introduced a law called the Endangered Species Act. It was hoped that the Act would help to conserve species that were at risk from extinction.

Table 3.1 shows the numbers of birds from different species before and after the Act was introduced.

Table 3.1

	number of birds			
species	before the Act	after the Act		
bald eagle	416	9789		
Kirtland's warbler	210	1415		
nene goose	400	1275		
peregrine falcon	324	1700		
whooping crane	54	513		

	(i)	State which species was the most at risk from extinction before the Act.
		[
	(ii)	Calculate the percentage increase in the number of Kirtland's warblers.
		Give your answer to the nearest whole number.
		percentage increase =% [
		percentage moreage =/o [c
(b)	List	three reasons why species become endangered or extinct.
	1	
	2	
	3	[
		L.

(c)	The	nene goose is a herbivore and the bald eagle is a carnivore.
	(i)	State the name of the trophic level in the food chain for the nene goose.
		[1]
	(ii)	Explain why the way the nene goose feeds is more energy efficient than that of the bald eagle.
		[3]
		[Total: 11]

4 (a) A student investigates the effect of exercise on oxygen consumption.

The oxygen used by the student before, during and after exercise is monitored.

Fig. 4.1 is a graph of the results.




Fig. 4.1

(i)	State the balanced symbol equation for the type of respiration occurring before exercise in Fig. 4.1.
	[2]
(ii)	Use Fig. 4.1 to calculate the time taken by the student to exercise.
	minutes [1]
- .	
The	e shaded part of the graph represents an oxygen debt caused by a build-up of lactic acid.
/i)	State where lactic acid builds up in the body during vigorous exercise

...... and[2]

(b)

(ii) Describe how the lactic acid is removed by the body.
[3
) Degular eversion reduces the right of developing coronary boart discount (CUD)
) Regular exercise reduces the risk of developing coronary heart disease (CHD).
Describe one change to a person's diet that can reduce the risk of developing CHD.
[1
[Total: 9

5 (a) Fig. 5.1 shows the arrangement of the particles in the three states of matter.




Fig. 5.1

Table 5.1 shows information about the particles in the three states of matter.

Complete Table 5.1.

Table 5.1

state of matter	particle separation	particle arrangement	particle motion
solid		regular	vibrate about fixed positions
liquid	close together		move around each other
gas	far apart	random	
,			[;

(b) Fig. 5.2 shows a cooling curve for water.




Fig. 5.2

- (i) Write a letter **G** on Fig. 5.2 to show when the water is a gas and is cooling down. [1]
- (ii) Write a letter **F** on Fig. 5.2 to show when the water is freezing.

[1]

((iii)	Explain how Fig. 5.2 shows that the water is pure rather than a mixture.
		[1]
(iv)	While cooling, water vapour condenses to form liquid water.
		Explain what happens to the particles when forming liquid water. Use ideas about the kinetic particle theory in your answer.
		[2]
(c)	Wat	er is a simple molecular compound with a low melting point and a low boiling point.
	Ехр	lain why the melting point and boiling point are low.
		[2]
		[Total: 10]

(a)	Aluminium is in Group III of the Periodic Table.		
	Give one reason why aluminium is often used in containers for food and drinks.		
	[1]		
(b)	Many metals react with dilute acids.		
	Complete the general equation for this reaction.		
	Choose words from the list below.		
	alloy base hydrogen oxygen salt water		
	metal + acid \rightarrow + [2]		
(c)	When aluminium metal reacts with dilute hydrochloric acid, aluminium atoms form aluminium ions.		
	The ionic half-equation for this reaction is shown.		
	$Al \rightarrow Al^{3+} + 3e^{-}$		
	State whether this reaction is oxidation or reduction.		
	Explain your answer.		
	[1]		

6

(d)	(i)	Copper reacts with oxygen to form copper(II) oxide.	
		State whether copper(II) oxide is an acidic oxide or a basic oxide.	
		Give a reason for your answer.	
			. [1
	(ii)	Copper(II) oxide, CuO, reacts with sulfuric acid to form copper(II) sulfate and water.	
		Write the balanced symbol equation for this reaction.	
			га

(e) Fig. 6.1 shows the reaction pathway diagram for the reaction between copper(II) oxide and sulfuric acid.




Fig. 6.1

(i)	State whether the reaction is exothermic or endothermic.
	Explain your answer.
	[1]
(ii)	Define activation energy $E_{\rm a}$.
	[2]
	[Total: 9
	L .

BLANK PAGE

7	(a)	Hydrogen-oxygen fuel cells use a chemical reaction to produce electricity.
		Name the only chemical product made by a hydrogen–oxygen fuel cell.
		[1]
	(b)	A vehicle with a petrol (gasoline) engine produces carbon dioxide gas.
		Carbon dioxide is a greenhouse gas.
		Describe how carbon dioxide causes global warming.
		[3]
	(c)	Hydrogen–oxygen fuel cells do not produce carbon dioxide.
		Describe one other advantage and one disadvantage of using hydrogen–oxygen fuel cells instead of petrol (gasoline) engines to power vehicles.
		advantage
		disadvantage
		[2]

		117
(d)	(i)	A major component of petrol is the compound C_7H_{16} . C_7H_{16} belongs to a homologous series.
		Name the homologous series.
		[1]
	(ii)	C ₇ H ₁₆ burns in oxygen to make carbon dioxide and water.
		$C_7H_{16} + 11O_2 \rightarrow 7CO_2 + 8H_2O$
		Calculate the volume of carbon dioxide made when 2.5 g of $\mathrm{C_7H_{16}}$ burns completely in oxygen.
		The molar gas volume at r.t.p. is 24 dm ³ .
		Show your working.
		volume of carbon dioxide =dm ³ [4]
		[Total: 11]

(a)	Magnesium chloride contains the ions Mg^{2^+} and $\mathrm{C}\mathit{l}^-$.		
	(i)	State the formula for magnesium chloride.	
		formula =[1]	
	(ii)	Magnesium chloride is a good conductor of electricity when aqueous. It does not conduct electricity when solid.	
		Explain why the conductivity of magnesium chloride is different in these two states.	
		good conductor when aqueous	
		does not conduct electricity when solid	
		does not conduct electricity when solid	
		[2]	
(b)	Mol	ten magnesium chloride can be electrolysed.	
	Cor	nstruct the balanced ionic half-equation for the reaction at the cathode.	
		[2]	
		[-]	

8

(c)	Magnesium chloride is made when magnesium reacts with dilute hydrochloric acid.
	A student reacts a piece of magnesium with 40 cm ³ of dilute hydrochloric acid at 20 °C. The student measures the time taken for the reaction to finish.
	The student repeats the experiment at 30 °C and 40 °C.
	Explain how increasing the temperature affects the rate of reaction.
	[4
(d)	The rate of reaction between magnesium and dilute hydrochloric acid can be increased by adding a catalyst.
	State how a catalyst increases the rate of a reaction.
	[1
	[Total: 10

	(i)	Define acceleration.	[
	(ii)	On Fig. 9.1, draw a speed–time graph for the car's motion.	
		30.0 25.0 20.0	
		speed m/s 15.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	
		Fig. 9.1	
	(iii)	The mass of the car is 1750 kg.	
		Calculate the force required to produce an acceleration of 10 m / s ² .	
		force =	N
(b)	Acc	cceleration is a vector quantity.	
	(i)	State what is meant by the term vector quantity.	

(ii) Place ticks (\checkmark) in Table 9.1 to identify the quantities that are vectors.

One example has been done for you.

Table 9.1

quantity	vector
acceleration	✓
distance	
energy	
gravitational field strength	
mass	
velocity	

[2]

(c) Two lamps are connected in parallel with a 12 V battery. The lamps are identical.

Fig. 9.2 shows the circuit diagram for the lamps.




Fig. 9.2

The current in the battery is 0.60 A.


Calculate the resistance of **one** of the lamps. State the unit for your answer.

resistance = unit = [3]

(d) Each headlamp of the car contains a thin converging lens.

A converging lens can be used to form a virtual image.

Complete Fig. 9.3 to show how a converging lens forms a virtual image.



[Total: 14]

[3]

BLANK PAGE

10 Fig. 10.1 shows a simple diagram of the Solar System.




Fig. 10.1

- (a) Saturn is in orbit around the Sun.
 - (i) Draw an arrow (→) on Fig. 10.1 to show the direction of the force that keeps Saturn in orbit around the Sun.[1]
 - (ii) State the name of the force that keeps Saturn in orbit around the Sun.
 - (iii) The mean distance between Saturn and the Sun is 1.43×10^{12} m. It takes 11 000 Earth days for Saturn to complete one orbit of the Sun.

Calculate the orbital speed of Saturn.

(b)	The Sun is a stable star formed 5 billion years ago.
	Describe the formation of a stable star.
	[2]
(c)	Describe what the Big Bang Theory states in terms of the formation of the Universe.
	[2]
	[Total: 9]

11 Fig. 11.1 shows a set of traffic lights containing light-emitting diodes (LEDs).




Fig. 11.1

- (a) The different coloured LEDs emit light with different frequencies and wavelengths.
 - (i) Table 11.1 contains the frequencies and wavelengths of red, amber (orange) and green light.

Place ticks (\checkmark) in Table 11.1 to identify the frequency and wavelength of the red LED.

The amber (orange) LED has been done for you.

Table 11.1

		red LED	amber (orange) LED
	4.62×10^{14}		
frequency / Hz	4.92×10^{14}		✓
	5.66 × 10 ¹⁴		
	5.30×10^{-7}		
wavelength / m	6.10×10^{-7}		✓
	6.50×10^{-7}		

[1]

(ii) Use the data in Table 11.1 for the amber (orange) LED to show that the speed of light is 3.0×10^8 m/s.

(b)	Each LED has a potential difference of 3.6 V across it and a current of 0.025 A in it.							
	(i)	Calculate the total power input for each LED.						
		total power input =W [2]						
	(ii)	The LEDs have an efficiency of 40%.						
		Calculate the useful power output for each LED.						
		useful power output =W [2]						
	_							
(c)	Dra	w the circuit symbol for an LED.						

[1]

[Total: 7]

12 Fig. 12.1 shows a diagram of a nuclear power station.




Fig. 12.1

(a)	The nuclear power station uses nuclear fission of uranium to generate electricity.				
	(i)	State what is meant by nuclear fission.			
		[1]			
	(ii)	Thermal energy from the nuclear fission of uranium changes water into steam in the boiler.			
		Describe how the steam exerts a pressure inside the boiler.			
		[2]			
	(iii)	The pressure in the steam causes the turbine to move faster.			
		State the type of energy store that increases when the turbine moves faster.			
		[1]			

(b) Fig. 12.2 shows a simple a.c. generator similar to the generator found in the power station.




Fig. 12.2

(i)	A magnetic field	exists between	the	permanent	magnets
-----	------------------	----------------	-----	-----------	---------

State what is meant by a magnetic field.

[1]

(ii) One way of increasing the output e.m.f. of the generator is to rotate the coil faster.

State **two** other ways of increasing the output e.m.f. of the generator.

2

(iii) Fig. 12.3 shows the output e.m.f. from the generator.




Fig. 12.3

On Fig. 12.3, sketch the output e.m.f. from the generator when the coil rotates faster. [3]

[Total: 10]

[2]

₹

5 nitrogen
15
15
16
17
18
33
As
As
arisenic
75
17
12
83
Bi bismuth
209
115
MC > C C C Signature of the control of th \geq The Periodic Table of Elements Group → T ydrogen atomic number atomic symbol 23 V V V State of the first of ttenium
48
48
40
Zr
201
72
Hf
72
Hf
178
104
Rf
Phefordium 21 Sc candium 45 39 Y Y yttrium 89 89 57-71 =

		E				E.	
7	3	Intetiur	175	103	۲	lawrenci	1
	Υp						
69	T	thulium	169	101	Md	mendelevium	1
89	ш	erbinm	167	100	Fm	ferminm	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	Ç	californium	ı
92	Tp	terbium	159	26	益	berkelium	ı
64	В	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	P	plutonium	1
61	Pm	promethium	1	93	ď	neptunium	1
09	PZ	neodymium	144	92	\supset	uranium	238
29	ቯ	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerinm	140	06	드	thorium	232
25	Га	lanthanum	139	88	Ac	actinium	ı
	s	lan				ă	

The volume of one mole of any gas is $24 \,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).

actinoids

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (Cambridge University Press & Assessment) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge Assessment International Education is part of Cambridge University Press & Assessment. Cambridge University Press & Assessment is a department of the University of Cambridge.