

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education


	CANDIDATE NAME						
	CENTRE NUMBER	CANDIDATE					
* 3 3	COMBINED SCIENCE		0653/32				
-1 8	Paper 3 (Extended)	0	ctober/November 2012				
+ 5 5 8 8 9	Candidates answer on the Question F No Additional Materials are required.	Paper.	1 hour 15 minutes				
*	READ THESE INSTRUCTIONS FIRS	ST					
	Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs, tables or rough working.						
	Do not use staples, paper clips, highli DO NOT WRITE IN ANY BARCODES		For Examiner's Use				
		1					
	Answer all questions. A copy of the Periodic Table is printed	d on page 24.	2				
	At the end of the examination, fasten The number of marks is given in bra	all your work securely together. ckets [] at the end of each question or part _	3				
	question.		4				
			5				
			6				
			7				
			8				
			9				
			Total				

This document consists of 22 printed pages and 2 blank pages.




For Examiner's Use

1 Fig. 1.1 shows a red blood cell and a root hair cell.





(a) Name the red protein found in the cytoplasm of the red blood cell.



(c) Fig. 1.2 shows a plant with its roots in a beaker of water containing a blue dye.





Fig. 1.2

After 10 minutes, the stem of the plant was cut across at X. Fig. 1.3 shows the appearance of the cut stem seen through a microscope.



Eim 4.2

		FIG. 1.3	
(i)	On Fig.	1.3, use a pencil to shade all of the parts that would look blue.	1]
(ii)		e dye eventually reached the leaves of the plant. The following parts of the became blue.	ıe
	Α	leaf mesophyll cells	
	В	xylem cells	
	С	root hair cells	
	List the blue.	letters in order, to show the sequence in which the cells would becon	ıe
	first to b	become blue	
	last to b	pecome blue	1]
(iii)	Describ	e how water is lost from the leaves of plants.	
		[3]

For Examiner's Use

2 (a) In 2002 some research scientists claimed that they had produced a tiny amount of a new element that had a proton number of 118.

The scientists predicted that this element should be placed in Period 7 and Group 0 of the Periodic Table.

For

Examiner's Use

State the total number of electrons and the number of electron shells (energy levels) in one atom of this element.

total number of electrons		
number of electron shells		[2]

(b) The halogens are reactive elements found in Group 7 of the Periodic Table.

Halogens combine vigorously with the alkali metals from Group 1 to form colourless ionic compounds. The halogens and alkali metals from Periods 2 to 5 are shown in Fig. 2.1.





Fig. 2.1

© UCLES 2012

(i) A student has a colourless solution which he knows is either potassium bromide or potassium iodide.

The student adds chlorine solution as shown in Fig. 2.2.



For

Examiner's Use (ii) The student is asked to predict which pair of elements, chosen from those shown in Fig. 2.1, would react together most vigorously. Examiner's

For

Use

He predicts that the reaction between lithium and fluorine would be the most vigorous.

Explain whether or not the student has made a correct prediction.

..... [2]


(c) Potassium bromide contains potassium ions, K⁺ and bromide ions, Br⁻.

Construct a balanced symbolic equation for the reaction between potassium and bromine to form potassium bromide.

[3]

6

3 Fig. 3.1 shows four swimmers at the start of a race.





- (a) The swimmers start their race when they hear a loud, high-pitched sound from a loudspeaker.
 - (i) Explain why sound travels at a different speed through water than through air.

[2]

(ii) Fig. 3.2 shows the trace of a sound wave as it appears on an oscilloscope screen.

On Fig. 3.2 draw another trace of a sound wave from a sound that is louder than the one shown, but has the same pitch.




Fig. 3.2

[2]

For Examiner's Use

(iii) The swimmers can hear the sound from the loudspeaker only if the frequency of the sound lies within a range of frequencies which the human ear can detect.

State this range of frequencies.

Hz to Hz [1]

(iv) Waves are either longitudinal or transverse. For Examiner's Use State whether each of the following is an example of a transverse or longitudinal wave. the sound waves produced by the loudspeaker the water waves produced by the swimmers in the pool [1] (b) Sound travels at 330 m/s in air. One swimmer is 0.4 m from the loudspeaker when he hears the sound. (i) Calculate the time taken for the sound to travel from the loudspeaker to the swimmer. State the formula that you use and show your working. formula used working [2] (ii) The loudspeaker produces a sound with a frequency of 2200 Hz. Calculate the wavelength of this sound. State the formula that you use and show your working. formula used working [2]

(a) Fig. 4.1 shows part of a food web in a forest ecosystem. For Examiner's Use spiders dragonflies grasshoppers bees plants Fig. 4.1 (i) Define the term ecosystem. [2] (ii) What do the arrows in the food web represent?[1] (iii) State the trophic level at which spiders feed.[1] (iv) The food web contains several food chains. Explain why food chains usually have fewer than five trophic levels. [2]

4

(b) The food web shows that bees depend on plants. Some flowering plants also depend on bees to help them to reproduce. Examiner's

For

Use


Explain how bees help flowering plants to reproduce.

..... [3] **5** (a) A student investigated the reaction between antacid tablets and dilute hydrochloric acid.

For Examiner's Use

The antacid tablets contain a mixture of sodium hydrogencarbonate, calcium carbonate and magnesium carbonate.

Fig. 5.1 shows one of the experiments the student carried out.






Carbon dioxide gas was given off when the antacid tablet reacted with the dilute hydrochloric acid.

Describe and explain the change in appearance of the limewater during the experiment.

[2]

- (b) Fig. 5.2 shows apparatus the student used to measure the rate of reaction between antacid tablets and hydrochloric acid.
 - He added both hydrochloric acid and water to the side-arm test-tube to produce diluted hydrochloric acid.
 - He dropped an antacid tablet into the diluted hydrochloric acid and immediately inserted the bung.
 - He started the stop clock and timed how long it took for 25 cm³ of gas to bubble up into the measuring cylinder.





The student carried out four experiments **A**, **B**, **C** and **D** in which he investigated the effect of changing reaction conditions on the rate.

Table 5.1 shows the data the student obtained.

Та	ble	5.	1

	volume of hydrochloric acid used/cm ³	volume of water used / cm ³	temperature of diluted hydrochloric acid/°C	time taken to collect 25 cm ³ gas / seconds
Α	20	0	35	18
В	20	0	25	36
С	15	5	25	48
D	10	10	25	72

(i)	State in which experiment, A, B, C or D, the reaction rate was the lowest.		
	[1]	Examiner's Use	
(ii)	State briefly the conclusions the student can draw from the results of experiments A and B and from the results of experiments B , C and D .		
	conclusion from experiments A and B		
	conclusion from experiments B , C and D		
	[2]		
(iii)	Explain the conclusion from experiments ${f A}$ and ${f B}$, in terms of collisions between particles.		
	[2]		

6 (a) Fig. 6.1 shows a circuit for measuring the current through a filament lamp as the potential difference is changed.

For Examiner's Use




Fig. 6.1




Fig. 6.2 shows a graph of the results from an experiment using this circuit.

Fig. 6.2


(i) Use the graph to calculate the resistance of the lamp when the potential difference For was 2.0 V and when the potential difference was 4.0 V. Examiner's Use State the formula that you use and show your working. formula used working resistance at 2.0 V resistance at 4.0 V [2] (ii) Describe how the current through the filament lamp changes as the voltage increases above 2.0 V.[1] (b) A single ray of light from a torch (flashlight) is shone onto a mirror as shown in Fig. 6.3. Fig. 6.3 (i) Label the angle of incidence and angle of reflection. [1] (ii) The angle of incidence = 45° .

Write down the value of the angle of reflection.

......[1]

For Examiner's Use

7 (a) Fig. 7.1 shows the human alimentary canal.







(b) Lipase is an enzyme that catalyses the breakdown of fats to fatty acids and glycerol.

fat — fatty acids + glycerol

A student carried out an experiment to investigate the effect of temperature on the rate of the breakdown of fats by lipase. Fig. 7.2 shows how she set up the two test-tubes.




Fig. 7.2

The indicator that the student used changes colour from blue to yellow when the pH falls below 5.


17

Table 7.1 shows her results.


Table 7.1

time/minutes	tube A (4°C)	tube B (30°C)
0	blue	blue
5	blue	yellow
10	blue	yellow
15	yellow	yellow

(i) Using the information in the word equation, explain why the indicator eventually changed to yellow in both tubes.



• how the outer electrons in each element are arranged.




For

Examiner's Use

© UCLES 2012

8

9 Fig. 9.1 shows a toy car travelling over a plastic surface.





(a) The car, of mass 0.5 kg is moving at a steady speed of 0.5 m/s.

Calculate the kinetic energy of the car.

State the formula that you use and show your working.

formula used

working


[2]

For Examiner's Use

(b) While the car is moving, the wheels are rubbing against the plastic surface. The car becomes electrostatically charged with a positive charge.

Explain how this happens.

[3]



(iii) State one part of the graph when the car was accelerating and calculate this acceleration. Examiner's

Show your working.

part of graph	
acceleration	

[2]

For

Use

(iv) Calculate the distance travelled by the car between A and D.

Show your working.

[3]

BLANK PAGE

BLANK PAGE

	0	4 Helium	19 20 Functine Neon Fluctine 10 35.5 40 Ct Argon Chorine 18	80 84 Br Kr omine Krypton 36	57 131 Xenon 54	te Radon 86 Radon	173 175 Yb Lutetium 71	o Lawrencium 103
	١١٨		6 27	35 ^{Br}	127 T 53	Astatine 85	20	um Nobelium 102
	>		16 Sultur 16 Sultur	79 Selenium 34	128 Tel 52	Polonium 84	169 Thulium 69	Mendelevium 101
	>		Nitrogen 7 Nitrogen 31 31 Phosphorus	75 AS Arsenic 33	122 Sb Antimony 51	Bismuth 83	167 Er 68	Fermium 100
	\geq		6 Carbon 6 28 28 14 14 8 28	73 Ge Germanium 32	119 Sn 50 207	B2 Lead	165 Ho 67	Einsteinium 99
			11 Beron 27 Auminium 13	70 Ga 31	115 Ln 1ndium 204	T Thailium 81	162 Dysprosium 66	Cf Californium 98
ents				65 Zn ^{Zinc}	112 Cd Cd 201 201	Mercury 80	159 Tb 65	BK Berkelium 97
The Periodic Table of the Elements Group				64 Copper 29	108 Ag 47 197	Gold Top	157 Gd Gadolinium 64	96 Curium
Table of th Group				59 Nickel 28	106 Pd Palladium 46	Platinum 78	152 Eu 63	Americium 95
iodic Ta	L T "			59 CO 27	103 Rh Rhođium 45	TT Indium	150 Sam arium 62	Plutonium 94
The Per			56 Fe Iron	101 Ruthenium 44	Osmium 76	Promethium 61	Neptunium 93	
				55 Mn Manganese 25	Tc Technetium 43	Rtenium 75	144 Neodymium 60	238 U ^{Uranium} 92
				52 Cr Chromium 24	96 Mo Molybdenum 42 184	Tungsten 74	141 Pr Praseodymium 59	Protactinium 91
				51 X Vanadium 23	93 Ni obium 41 181	Tantalum 73	140 Ce Cerium 58	232 Tho 90
				48 T Titanium 22	91 Zr Zirconium 40 178	2 [±]	_	nic mass bol nic) number
				45 Sc 21	89 Yttrium 39 139	Lanthanum 57 * * 227 AC AC	l series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 24 Magnesium 12	40 Ca Calcium 20	88 Strontium 38 137	56 Barium 56 Barium 226 Ra 88 Radium	*58-71 Lanthanoid series 190-103 Actinoid series	р. Х а.
			7 Lithium 23 Sodium	39 K Potassium 19	85 Rb 37 133	Caesium 5 Fr Francium	3 A	٩

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

24